



Security Solutions

FOR IMMEDIATE RELEASE

Media Contact:

Gil Isenstein

Ryan Murphy

Mullen PR

(978) 468-8930

(978) 468-8978

Gil.Isenstein@mullen.com

Ryan.Murphy@mullen.com

STANLEY SECURITY SOLUTIONS OPENS NEW DOORS FOR HOSPITAL FACILITIES WITH THE 7600 SERIES ICU DOOR SYSTEM

*New Door System Designed To Meet the Needs of Hospital Intensive Care and
Cardiac Care Units (ICU/CCU)*

Orlando, FL., (ASIS) – September 12, 2005 –Stanley Security Solutions, Inc., today announced the introduction of the 7600 Series™ ICU Door System, which will facilitate the smooth transfer of patients and equipment within medical facilities. Specifically designed for intensive care and cardiac care applications, this new door offers a new design choice for health care professionals that provides ease of use and convenience at an economical price.

The 7600 Series™ ICU Door System combines a manual swing and two-panel bi-fold door into a single unit design with one continuous header. The one piece design connects the two diverse door types into a smooth continuous package. This design also eliminates the need to cut a crease in two headers to make a bi-fold and manual door into one door. Measuring 1.75" x 4 ½", the thickness of the header is extremely thin and narrow, allowing a comfortable fit in hospital environments.

One of the distinctive advantages of the 7600 Series™ ICU Door package compared to other door products is its ability to maximize bi-directional egress with no threshold. The absence of a threshold enables medical professionals to quickly transport hospital beds, patients and equipment, thus reducing the risk of potentially tripping which may cause further injury to sensitive patients.

“With the introduction of this product we are responding to the needs of healthcare professionals who demanded a new design solution for the ICU and CCU that is both reliable and provides a convenient means of egress for patients and health care professionals,” said Thom Cordeiro, product manager for Stanley Security Solutions. “Our new 7600 Series ICU Door System is an ideal solution for hospital environments and we believe end users and patients alike will benefit from the many convenient advantages it provides.”

The door system includes a 105-degree hold-open feature that allows the swing door to latch in and stay open when pushed past 105 degrees. This feature is designed for the steady flow of multiple health care professionals, patients or equipment that requires a smooth and quick transition through the doorway. When combined with the full open bi-fold door a wider clear door opening is provided, making the 7600 Series™ ICU package the ideal solution for the busy ICU environment. When the doors are shut, the wide glass panels provide healthcare workers with an unobstructed view of activity in the next room or corridor to enable quicker movement when seconds count.

Another key feature of the door system is the manual breakout capability which is integrated into the two panel bi-fold doors and available on demand through the easy release of a flush bolt located in the end stile of the bi-fold door. The manual bi-directional breakout from the header creates a wider door opening that also maximizes space. The sleek design of the swing door and two panel bi-fold doors provides flexible access and creates an opening that measures almost the entire width of the door when completely opened. These features make the 7600 Series™ ICU door package ideal for ICU/CCU applications where there is typically a high level of activity and traffic.

Additional features include:

- **Swing door push bars** which enable easy entrance and exit.
- **1” finger guards** positioned over jambs and between the two folding doors for safety and protection against accidental pinching.
- **Adjustable bottom pivots** in both bottom corners that allow quick and easy installation and adjustment.
- **Top Door Guide Track** which is recessed inside the header and guides the bi-fold panels during opening and closing. When used in combination with the flush bolt, full breakout is enabled.
- **Flush Bolt** located at the end of the bi-fold door. Used to release and connect the top door guide during times of full breakout quickly and easily.

Availability

7600 Series™ ICU Door System is available through Stanley Access Technologies branch or distributor locations throughout the U.S. For more information, please visit us at www.stanleysecuritysolutions.com.

About Stanley Security Solutions

Stanley Security Solutions, a business division of The Stanley Works, is a provider of access and security solutions for institutional, commercial and industrial businesses and organizations. With a strong emphasis on service, Stanley Security Solutions delivers a comprehensive suite of security products, software and integrated systems directly to end user customers. Stanley Security Solutions is committed to extending its position as a leading comprehensive resource for a broad and extensive array of solutions that span the entire security spectrum.

###